

COTONEACCIAIO
96S NM 48
61% COTONE - 39% ACCIAIO



TOT SRL
stock service filati

COTONEACCIAIO 96S NM 48 - 2



LAGO



NOTTURNO



CAPRI



NERO



VERDONE



BIANCO



OLIVA



AVORIO



ACCIAIO



ARGENTO



MARRONE




SABBIA



ARANCIO



ORO




MARLBORO



SALVIA



TORO



MARE

COTONEACCIAIO 96S NM 48

61% COTONE - 39% ACCIAIO

Tinto con coloranti reattivi.

Questo filato è stato realizzato ritorcendo due capi di cotone con un filamento di acciaio AISI 316L avente un elevato grado di anallergicità e rispondenza alle normative europee riguardanti il tessuto/abbigliamento. Nella realizzazione degli articoli e nelle successive lavorazioni si tenga conto che, a differenza del cotone, il filamento di acciaio non ha alcun rientro.

Dyed with reactive dyestuff.

This yarn has been realized twisting again two cotton plies with a steel filament AISI 136L that has a high degree of unallergy and in agreement with the european law for testiles/ready to wear. In the realization of the articles and in the following processing, please take good note that, unlike the cotton, the steel filament has no shrinkage at all.

Solidità minime garantite:

Lowest fastness granted:

	LUCE <i>light</i>	LAVAGGIO A SECCO <i>dry cleaning</i>	LAVAGGIO A 60° <i>washing at 60°</i>
COLORI CHIARI <i>light colours</i>	3/4	4/5	4/5
COLORI MEDI <i>medium colours</i>	4	4/5	4
COLORI SCURI <i>dark colours</i>	4/5	4	4

I valori riportati si riferiscono al cambiamento di tono.

The a.m. values are referred to the change of the colour's tone.

Gli stingimenti sulle fibre accompagnatorie vanno valutati di volta in volta in funzione delle condizioni di lavorazione e al tipo di fibra ma comunque non sono inferiori al valore 3/4.

The fading on the accompanying fibres must be valuated every time according to the working conditions and to the kind of fibre, but anyhow it will not be less than value 3/4.

Per qualsiasi altra esigenza di tipo tecnico si consiglia di informarsi preventivamente.

For any other technical requirement please ask information in advance.

t.o.t. srl

tessimenti e orditi tinti stock service

Via Ticino, 1/B - 22070 Casnate con Bernate (CO)

Tel. 031.473021 - Fax 031.471756 - e-mail: info@tot srl - www.totsrl.it