

**SHINE**  
**168/24/300**



**TOT SRL**  
**stock service filati**

## SHINE - 2



**ECRÙ 1500**



**MELA 400**



**BEIGE 501**



**ERBA 235**




**CASTORO 536**



**ZEDER 1132**



**CAMMELLO 1122**



**V. MARCIO 112**



**TORTORA 476**




**GRIGNA 020**



**MARRONE 326**



**CIANO 1161**



**FLINTSTONE 1146**




**SMERALDO 236**




**PERLA 220**



**BARILE 543**



**GRES 036**



**ARNO 1114**




**NERO 462**



**BLEU 1130**




**SOLE 1116**



**MILK 540**




**BECCO D'OCA 321**



**LAVANDER 911**




**ETRUSCO 1158**



**VIOLA 1131**



**NOCCIOLA 1138**




**MIRTILLO 127**




**FIOROSA 737**




**SALMONE 1129**




**GIRANDOLA 1148**



**LAMPONE 318**



**FUOCO 314**



**GREMAT 316**

## POLIESTERE

### Polyester

Tinto con coloranti dispersi.

Si garantiscono trattamenti ad umido che non superino la temperatura di 70°. Oltre tale condizione, si consigliano prove preliminari.

*Dyed whit disperse dyestuff.*

*We guarantee damp treatment which will not get over the temperature of 70°. In addition to this condition, we suggest previous tests.*

Solidità minime garantite:

*Lowest fastness granted:*

	LUCE <i>light</i>	LAVAGGIO A 50° <i>washing at 50°</i>	TERMOFISSAGGIO A 160°A SECCO <i>thermo fixing at 160° dr</i>
<b>COLORI CHIARI</b> <i>light colours</i>	4	5	4/5
<b>COLORI MEDI</b> <i>medium colours</i>	4	4/5	4/5
<b>COLORI SCURI</b> <i>dark colours</i>	4/5	4/5	4

I valori riportati si riferiscono al cambiamento di tono.

*The a.m. values are referred to the change of the colour's tone.*

Gli stingimenti sulle fibre accompagnatorie vanno valutati di volta in volta in funzione delle condizioni di lavorazione e al tipo di fibra ma comunque non sono inferiori al valore 3/4.

*The fading on the accompanying fibres must be valuated every time according to the working conditions and to the kind of fibre, but anyhow it will not be less than value 3/4.*

Per qualsiasi altra esigenza di tipo tecnico si consiglia di informarsi preventivamente.

*For any other technical requirement please ask information in advance.*

t.o.t. srl

tessimenti e orditi tinti stock service

Via Ticino, 1/B - 22070 Casnate con Bernate (CO)

Tel. 031.473021 - Fax 031.471756 - e-mail: info@totsrl.it - www.totsrl.it